

**EASY CRIMP – Crimping pneumatic
tool for insulated terminals**


Strong & low cost machine



EASY CRIMP is a simple, portable, economical and safe pneumatic crimping tool for insulated terminals. It's equipped with plexiglass protections that ensure the safety distance when using it.

It's supplied with a pneumatic foot pedal and connecting pipes between this and the crimping machine.

It allows to adjust the speed of crimping by a valve located on the machine side.



EASY CRIMP enables the crimping of:

- insulated ferrules with different forms of crushing metal on the copper side (from 0.15 to 50 mmq)
- insulated terminals, sockets, eyelets, forks etc.. with crushing plastic on the copper side

EASY CRIMP can easily interchange the crimper die .

<p>EC-CD100</p>  <p>0.5-4mm²</p> <p>Section 0,5 / 0,75 / 1,0 - 1,5 / 2,5 / 4,0 mm</p>	<p>EC-CD110</p>  <p>0.5-6mm²</p> <p>Section 0,5 - 1,5 / 1,5 - 2,5 / 4,0 - 6,0 mm</p>	<p>EC-CD160</p>  <p>0.5-6mm²</p> <p>Section 0,5 - 1.5 / 2,5 / 4- 6 mm² 22 ~18 / 18 ~14 / 12 ~10 AWG</p>
<p>EC-CD130</p>  <p>1.0-6mm²</p> <p>Section 1.0 / 2,5 / 6,0 mm²</p>	<p>EC-CD140</p>  <p>1.5-6mm²</p> <p>Section 1.5 / 2,5 / 4 - 6 mm²</p>	<p>EC-CD150</p>  <p>0.5-16mm²</p> <p>Section 0,3 - 2.5 / 4.0 - 6,0 / 10 / 16 mm²</p>
<p>EC-CD160</p>  <p>1.5-6mm²</p> <p>Section 0,5 - 1.5 / 2,5 / 4- 6 mm² 22 ~18 / 18 ~14 / 12 ~10 AWG</p>	<p>EC-CD170</p>  <p>0.5-4mm²</p> <p>Section 0,75 / 1.0 / 1,5 / 2,5 / 4.0 / 6,0 / 10 mm²</p>	<p>EC-CD180</p>  <p>0.5-2.5mm²</p> <p>Section 0,25 - 0.5 / 0.75 - 1.0 / 1,5 / 2,5 / 4.0 / 5 - 16 / 25 mm²</p>
<p>EC-CD190</p>  <p>0.5-2.5mm²</p> <p>Section 0,5 ~ 2,5 mm² 20 ~13 AWG</p>	<p>EC-CD200</p>  <p>6-25mm²</p> <p>Section 6 / 10 / 16 / 25 mm²</p>	<p>EC-CD400 Easy Big Crimp</p>  <p>10-35mm²</p> <p>Section 10 / 16 / 25 / 35 mm²</p>

<p>EC-CD100</p>  <p>0.5-4mm²</p> <p>Section 0,5 / 0,75 / 1,0 - 1,5 / 2,5 / 4,0 mm</p>	<p>EC-CD110</p>  <p>0.5-6mm²</p> <p>Section 0,5 - 1,5 / 1,5 - 2,5 / 4,0 - 6,0 mm</p>	<p>EC-CD160</p>  <p>0.5-6mm²</p> <p>Section 0,5 - 1.5 / 2,5 / 4- 6 mm² 22 ~18 / 18 ~14 / 12 ~10 AWG</p>
<p>EC-CD130</p>  <p>1.0-6mm²</p> <p>Section 1.0 / 2,5 / 6,0 mm²</p>	<p>EC-CD140</p>  <p>1.5-6mm²</p> <p>Section 1.5 / 2,5 / 4 - 6 mm²</p>	<p>EC-CD150</p>  <p>0.5-16mm²</p> <p>Section 0,3 - 2.5 / 4.0 - 6,0 / 10 / 16 mm²</p>
<p>EC-CD160</p>  <p>1.5-6mm²</p> <p>Section 0,5 - 1.5 / 2,5 / 4- 6 mm² 22 ~18 / 18 ~14 / 12 ~10 AWG</p>	<p>EC-CD170</p>  <p>0.5-4mm²</p> <p>Section 0,75 / 1.0 / 1,5 / 2,5 / 4.0 / 6,0 / 10 mm²</p>	<p>EC-CD180</p>  <p>0.5-2.5mm²</p> <p>Section 0,25 - 0.5 / 0.75 - 1.0 / 1,5 / 2,5 / 4.0 / 5 - 16 / 25 mm²</p>
<p>EC-CD190</p>  <p>0.5-2.5mm²</p> <p>Section 0,5 ~ 2,5 mm² 20 ~13 AWG</p>	<p>EC-CD200</p>  <p>6-25mm²</p> <p>6 / 10 / 16 / 25 mm²</p>	<p>EC-CD400 Easy Big Crimp</p>  <p>10-35mm²</p> <p>10 / 16 / 25 / 35 mm²</p>